

W2c Aero

With extreme light output for use at the airports and on the road

Article number : 31443



With extreme light output for use at the airports and on the road

Advantages:

- Modern aerodynamic design
- Aerodynamically neutral for better vehicle handling at high speeds
- Ultra-low wind resistance gives lower fuel consumption and noise level
- Unchanged driving performance of the vehicle thanks to the aerodynamic design
- Alley lights are standard
- Work lights/Take Down optional
- Lightbars are built with high bin, super bright LEDs for powerful output and constant color
- Prepared for use in Stand Alone Mode or as a part of a Mercura CAN Bus Control System with CAN interface.
- Switchable between airport light mode (ICAO) and road mode ECE R65
- Adjustable light output for day, night and cruise function
- Meets the automotive industry's climate requirements
- French design and quality

Lens	Polycarbonate
Colour LEDs	Blue, Amber
Colour lens	Crystal
Cable	4,5m
Voltage	10-30V
Consumption	15 A with peak at 30 A for less than 50ms.
Length	930, 1100, 1270, 1440, 1600, 1770 & 1940 mm
Height	65 mm (corner modules) 47 mm (inboard modules)
Depth	280 mm
Approval	ECE R65 II, EMC, ICAO Annex 14

Approvals:

Light

- acc to ICAO annex 14
- ECE R 65 class 2 (Blue Class 2, Amber Class 1)

Electricals (EMC)

- acc to 72/245/ EEC with last amendment 2009/19/EC

Design Protection

- RCD 001715699-0001